

Split Screen Divider Installation







ClubPro.com





What You Will Need:

Scuff pads (supplied) Acetone **Primer (supplied)** Gloves Goggles **Cleaning cloth** Foam brush (supplied) **Roller (supplied)**

ClubPro.com

SPLIT SCREEN DIVIDER INSTALLATION - RXV



VERY IMPORTANT:

You must use acetone only (NO **SUBSTITUTES) to clean center canopy** surface.

Follow acetone and primer manufacturer's safety instructions regarding personal protective gear.

Work in a well ventilated area.



Installation Overview:

INSTALL THE CANOPY CHANNELS (x2)*:

- **1. Scuff the installation area**
- 2. Clean the installation area with acetone
- 3. Apply the primer to the area
- 4. Remove the adhesive backing
- 5. Apply channels to the canopy
- 6. Apply pressure with the roller

INSTALL THE DIVIDER:

- 7. Remove the protective paper
- 8. Slide the divider into the channels





INSTALL THE D-RINGS (x4):

- 9. Clean the installation area with acetone
- **10.** Apply the primer to the area
- 11. **Remove the adhesive backing**
- 12. Apply the D-ring to the installation area

FINISH THE INSTALLATION:

13. Fasten cords to D-rings (x4)

* After installation let set at least overnight



Install the Canopy Channels

ClubPro.com








Install the Canopy Channels:

There are two channels to install under the **Canopy**

ClubPro.com

SPLIT SCREEN DIVIDER INSTALLATION - RXV







Install the Canopy Channels:

1. Scuff the installation area with Scotch Brite 7747

ClubPro.com








Install the Canopy Channels:

2. Clean the installation area with acetone and cloth

ClubPro.com





Follow the acetone manufacturer's safety instructions regarding personal protective gear. Work in a well ventilated area.



Install the Canopy Channels:

3. Apply primer to the installation area with brush

Let set for a minimum of 5 minutes

ClubPro.com





Follow the primer manufacturer's safety instructions regarding personal protective gear. Work in a well ventilated area.



Install the Canopy Channels:

4. Remove adhesive backing from the channels (x2)

ClubPro.com








Install the Canopy Channels:

5.1 Apply channel #1 to the canopy

ClubPro.com










Install the Canopy Channels:

6.1 Apply pressure with the roller

ClubPro.com

SPLIT SCREEN DIVIDER INSTALLATION - RXV








Install the Canopy Channels:

5.2 Apply channel #2 to the canopy

ClubPro.com









Install the Canopy Channels:

6.2 Apply pressure with the roller

Let set at a minimum overnight; the manufacturer suggests 24 hours

ClubPro.com

SPLIT SCREEN DIVIDER INSTALLATION - RXV







Install the Divider

ClubPro.com





Install the Divider:

Remove protec-tive paper from the divider

ClubPro.com

SPLIT SCREEN DIVIDER INSTALLATION - RXV








Install the Divider:

Slide the divider into the channels

ClubPro.com

SPLIT SCREEN DIVIDER INSTALLATION - RXV









ClubPro.com



Install D-Ring #1



91 **Clean the top of** the front console with acetone and cloth

ClubPro.com

SPLIT SCREEN DIVIDER INSTALLATION - RXV





Follow the acetone manufacturer's safety instructions regarding personal protective gear. Work in a well ventilated area.



10.1 Apply primer to the installation area with brush

Let set for a minimum of 5 minutes

ClubPro.com

SPLIT SCREEN DIVIDER INSTALLATION - RXV





Follow the primer manufacturer's safety instructions regarding personal protective gear. Work in a well ventilated area.



11.1 Remove adhesive backing from the **D-ring**

ClubPro.com

SPLIT SCREEN DIVIDER INSTALLATION - RXV







12.1 Apply D-ring to the top of console

Let set for a minimum of 15 minutes

ClubPro.com

SPLIT SCREEN DIVIDER INSTALLATION - RXV









ClubPro.com



Install D-Ring #2




9.2 **Clean the bottom** of front console with acetone and cloth

ClubPro.com

SPLIT SCREEN DIVIDER INSTALLATION - RXV





Follow the acetone manufacturer's safety instructions regarding personal protective gear. Work in a well ventilated area.




10.2 Apply primer to the installation area with brush

Let set for a minimum of 5 minutes

ClubPro.com

SPLIT SCREEN DIVIDER INSTALLATION - RXV





Follow the primer manufacturer's safety instructions regarding personal protective gear. Work in a well ventilated area.



11.2 Remove adhesive backing from the **D-ring**

ClubPro.com

SPLIT SCREEN DIVIDER INSTALLATION - RXV







12.2 Apply D-ring to the bottom of console

Let set for a minimum of 15 minutes

ClubPro.com

SPLIT SCREEN DIVIDER INSTALLATION - RXV









ClubPro.com



Install D-Ring #3




9.3 **Clean the seat** back with acetone and cloth

ClubPro.com

SPLIT SCREEN DIVIDER INSTALLATION - RXV





Follow the acetone manufacturer's safety instructions regarding personal protective gear. Work in a well ventilated area.




10.3Apply primer to the installation area with brush

Let set for a minimum of 5 minutes

ClubPro.com

SPLIT SCREEN DIVIDER INSTALLATION - RXV





Follow the primer manufacturer's safety instructions regarding personal protective gear. Work in a well ventilated area.



11.3 Remove adhesive backing from the **D-ring**

ClubPro.com

SPLIT SCREEN DIVIDER INSTALLATION - RXV








12.3 Apply D-ring to the seat back

Let set for a minimum of 15 minutes

ClubPro.com

SPLIT SCREEN DIVIDER INSTALLATION - RXV









ClubPro.com



Install D-Ring #4




9.4 **Clean the panel under seat back** with acetone and cloth

ClubPro.com

SPLIT SCREEN DIVIDER INSTALLATION - RXV





Follow the acetone manufacturer's safety instructions regarding personal protective gear. Work in a well ventilated area.




10.4Apply primer to the installation area with brush

Let set for a minimum of 5 minutes

ClubPro.com

SPLIT SCREEN DIVIDER INSTALLATION - RXV





Follow the primer manufacturer's safety instructions regarding personal protective gear. Work in a well ventilated area.



11.4 Remove adhesive backing from the **D-ring**

ClubPro.com

SPLIT SCREEN DIVIDER INSTALLATION - RXV







Install D-Ring #4:


12.4Apply D-ring to the panel under seat back

Let set for a minimum of 15 minutes

ClubPro.com

SPLIT SCREEN DIVIDER INSTALLATION - RXV







SPLIT SCREEN DIVIDER INSTALLATION - RXV

ClubPro.com



Finish the Installation






13.1 **Fasten the mini** bungee cord to D-ring #1

ClubPro.com

SPLIT SCREEN DIVIDER INSTALLATION - RXV










13.2 **Fasten the mini** bungee cord to D-ring #2

ClubPro.com

SPLIT SCREEN DIVIDER INSTALLATION - RXV










13.3 Fasten the mini bungee cord to D-ring #3

ClubPro.com

SPLIT SCREEN DIVIDER INSTALLATION - RXV










13.4 **Fasten the mini** bungee cord to D-ring #4

ClubPro.com


SPLIT SCREEN DIVIDER INSTALLATION - RXV





SPLIT SCREEN DIVIDER INSTALLATION - RXV





ClubPro.com





Cleaning/Disinfecting:

We recommend using a professional vinyl cleaner with no alcohol.

golf cart.

Note: The vinyl cannot be cleaned with an alcohol based disinfectant.

Do not store vinyl when wet.

ClubPro.com





- Follow the initial step with a soap and water solution as you would normally clean the



Warranty:

We will guarantee workmanship and material for 1 year (assuming installation and cleaning procedures are followed).

If you have any questions do not hesitate to contact us.

ClubPro.com

SPLIT SCREEN DIVIDER INSTALLATION - RXV





SPLIT SCREEN DIVIDER INSTALLATION - RXV

STAY SAFE AND ENJOY!

ClubPro.com





AUGUSTA, GA | DEER PARK, NY | LOUISVILLE, KY | SANTIAGO, D.R.

800 467 2844 Info@ClubPro.com ClubPro.com

Produced by: RomeoCo.com EdgeMediaDigital.com